

服务至上 质量保证
**Service first
quality guaranteed**



HandanDehou
New Materials Technology Co., LTD
——邯郸市得厚新材料科技有限公司——

HandanDehou
New Materials Technology Co., LTD
邯郸市得厚新材料科技有限公司

- contact (联系人): karen (陈) / hui Liu (刘)
- phone number (电话): +8617332003877 +8615232026888
- wechat number (微信): C17332003877
- whatsapp number: +8617332003877
- address (地址): East of Dongmingyang Village, Linmingguan Town, Yongnian District, Handan City, Hebei Province.
- Website (网址): <https://www.swftyfastener.com>



HandanDehou New Materials Technology Co., LTD

企业简介 Company Profile

Handan Dehou New Material Technology Co., Ltd is professional fasteners factory located in Hebei handan. Mainly of our company products are all kinds of bolts, nuts, screws and washers. Our products are exported to Many countries around the world, such as Brazil, Argentina, Nigeria, Canada, Malaysia and so on. by the popularity of customers and users of praise.

You can rest assured our competitive price and high quality. if you find some products you are interested please don't hesitate to contact me. Glad to be helpful. We are very glad to create a win-win situation and create business relationship.

关于我们

邯郸市得厚新材料科技有限公司是一家专业的紧固件生产厂家，位于河北邯郸。我们的主要产品包括各类螺栓、螺母、螺钉和垫圈。我们的产品出口至全球多个国家，如巴西、阿根廷、尼日利亚、加拿大、马来西亚等，并深受广大客户与用户的好评。

我们的产品价格具有竞争力且质量可靠，您可以放心选购。若您发现有感兴趣的产品，欢迎随时与我们联系，我们很乐意为您提供帮助，非常期待与您建立业务合作关系，共创双赢局面。

HandanDehou
New Materials Technology Co., LTD



Drywall Screws
干壁钉

规格Size: 6#, 7#, 8#, 10#
3.5, 3.9, 4.0, 4.2, 4.8
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: Black/Grey/Zinc/Dacromet



Self Drilling Screw with hex washer head
复合垫钻尾螺丝

规格Size: 6#, 7#, 8#, 10#, 12#, 14#
3.5, 3.9, 4.2, 4.8, 5.5, 6.3
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/Dacromet



Tapping screws
自攻钉

规格Size: 6#, 7#, 8#, 10#, 12#, 14#
3.5, 3.9, 4.2, 4.8, 5.5, 6.3
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/Dacromet



Self Drilling Screw with countersunk head
沉头钻尾螺丝

规格Size: 6#, 7#, 8#, 10#, 12#, 14#
3.5, 3.9, 4.2, 4.8, 5.5, 6.3
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/Dacromet



Flange bolt
法兰螺栓

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Flange nut
法兰螺母

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Hex Bolt
外六角螺栓

规格Size: M6-M56, 1/4~2-3/4"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Hex Nut
六角螺母

规格Size: M6-M56, 1/4~2-3/4"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Wedge Anchor
车修壁虎

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, GB
表面处理Surface: ZP/HDG/Dacromet



3/4pcs Shield Anchor
三/四片壁虎

规格Size: M6-M20, 1/4~1"
标准Standard: DIN, ANSI, GB
表面处理Surface: ZP



concrete bolt
混凝土螺栓

规格size: M6-M48
标准Standard: DIN, ANSI, BSW, GB
表面处理Surface: ZP/Dacromet



Hook Bolt
羊眼钩壁虎

规格Size: M6-M12, 1/4~1/2"
标准Standard: DIN, ANSI, GB
表面处理Surface: ZP/HDG



pulling rivet
拉铆钉

规格Size: 6#, 7#, 8#, 10#
3.5, 3.9, 4.0, 4.2, 4.8
标准Standard: DIN, ANSI, BSW, GB



Rivet nut
铆螺母

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG



Plastic expansion bolt
塑料胀栓

规格Size: M6-M10
标准Standard: DIN, ANSI, BSW, JIS, GB



Steel Double End Stud Bolt 8.8
双头螺栓

规格size: M6-M36
标准Standard: DIN, ANSI, BSW, GB



Threaded Bolt
牙条

规格Size: M6-M56, 1/4~2-3/4"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Nylon Lock Nut
尼龙锁紧螺母

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Hexagon joint nut
六角接头母

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Washer
垫圈

规格Size: $\Phi 6-\Phi 36$
标准Standard: DIN, ANSI, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Butterfly bolt
蝶形螺栓

规格Size: M6-M56, 1/4~2-3/4"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Butterfly nut
蝶形螺母

规格Size: M6-M24, 1/4~1"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Eye bolts
活节螺栓

规格Size: M6-M56, 1/4~2-3/4"
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet



Foundation Concrete Anchor
Construction J Bolt 8.8
地脚螺栓

规格Size: M6-M48
标准Standard: DIN, ANSI, BSW, JIS, GB
表面处理Surface: ZP/HDG/BLACK/Dacromet